

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: A01N 57/34, C09K 21/12	A1	(11) International Publication Number: WO 99/17614 (43) International Publication Date: 15 April 1999 (15.04.99)
(21) International Application Number: PCT/EP98/06290 (22) International Filing Date: 2 October 1998 (02.10.98) (30) Priority Data: 9721021.5 4 October 1997 (04.10.97) GB (71) Applicant (for all designated States except US): ALBRIGHT & WILSON UK LIMITED [GB/GB]; 210-222 Hagley Road West, P.O. Box 3, Oldbury, West Midlands B68 0NN (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): FIDOE, Stephen, David [GB/GB]; 36 Woodward Road, Kidderminster, Worcestershire DY11 6NY (GB). IMRIE, Christopher, David [GB/GB]; "Brambles", 2 Miss Pickerings Field, Acton Trussell, Staffordshire ST17 0YN (GB). JONES, Christopher, Raymond [GB/GB]; 110 Sutherland Road, Cheslyn Hay, Nr. Walsall WS6 7BS (GB). TALBOT, Robert, Eric [GB/GB]; 3 Meriden Close, Cannock, Staffordshire WS11 1QG (GB). (74) Agent: SAVIDGE, Roger, Gordon, Madgwick; Albright & Wilson UK Limited, Patents Dept., 210-222 Hagley Road West, P.O. Box 3, Oldbury, West Midlands B68 0NN (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> A
(54) Title: PHOSPHONIUM SALT COMPOSITION (57) Abstract A solid composition in powdery, granular, or tabletted form comprises a THP salt and a solid acid substrate such as adipic acid.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PHOSPHONIUM SALT COMPOSITION

The present invention relates to a solid composition comprising trishydroxymethyl phosphine or a tetrakis (hydroxymethyl) phosphonium salt, collectively referred to herein as "THP".

THP and in particular the salts, notably the chloride (THPC) sulphate (THPS) and phosphate (THPP) have been used for more than forty years as fire retardants. More recently THP salts, and particularly THPS, have found applications as biocides in water treatment in a variety of systems including cooling water, chemical process water and oilfields (see for example EP 0 139 404, EP 0 215 562 and EP 0 293 152), in agriculture, horticulture and medicine (see EP 0 223 533, EP 0 275 207 and EP 0 293 152) and for the treatment of skins during tanning (e.g. EP 0 559 867 and EP 0 681 030).

THP is only available commercially as an aqueous solution. Despite its having been in commercial use for many years, all attempts to prepare THP as a stable solid, e.g. by recrystallising from glacial acetic acid and vacuum drying, have proved unsuccessful due to the highly hygroscopic and unstable nature of the solid product. Lack of a stable solid form of THP has severely restricted, or prevented, its use in certain applications.

We have now discovered that by coating a solid particulate acid, which is not chemically reactive with THP, with THP at temperatures, preferably, below 60°C we can obtain a stable, particulate solid THP. We have further discovered that the resulting powder can be compacted to form, e.g., tablets.

The invention provides a composition comprising a particulate or porous, THP-compatible, solid, acid substrate having coated thereon or absorbed therein THP.

The invention further provides a tablet, granule or pellet formed by compacting a particulate composition as aforesaid.

According to a third aspect the invention provides a method of preparing a solid THP composition which comprises coating a solid, particulate, THP-compatible acid with a solution of THP at a temperature between 30 and 60°C.

The solid acid preferably has a melting point above 50°C, more preferably above 60°C, e.g. above 70°C. It is preferably an organic acid, especially a di-, poly-, unsaturated, aromatic or hydroxy-carboxylic acid and particularly one having up to 10 carbon atoms such as oxalic, malonic, succinic, glutaric, adipic, pimelic, suberic, azelaic, citric, tartaric, maleic, fumaric, crotonic, itaconic, aconitic, citraconic, phthalic, benzoic, lactic, angelic or tiglic acids. Higher melting fatty acids such as oleic or stearic may also be used.

The particle size of the substrate is preferably fine, e.g. between 1 micron and 1mm, especially 10 microns to 500 microns, most preferably 50 microns to 100 microns.

The composition of the invention may conventionally be prepared by fluidising the particulate substrate and spraying an aqueous solution of the THP, preferably a concentrated solution, into the bed. The solution preferably contains more than 20%, especially more than 30%, e.g. more than 50%, typically more than 60%, most preferably 70 to 80% THP by weight based on the weight of the solution.

The temperature of spraying should be less than 100°C, especially less than 80°C, preferably less than 70°C, more preferably less than 60°C, e.g. 35 to 50°C, in order to optimise product stability.

An alternative method of making the solid THP is to form a paste of the THP solution with solid substrate, which is extracted and dried.

The THP may be tris(hydroxymethyl phosphine) or any THP salt of a compatible anion, preferably THPS, but optionally THPC or THPP. Alternatively other water soluble THP salts such as bromide, fluoride, phosphite, sulphite, carbonate, acetate, citrate or any other counterion which does not react chemically with the THP ion could be used.

The product preferably contains from 0.1 to 50%, especially 10 to 40%, e.g. 15 to 30% by weight, based on the total weight of the composition, of the THP, and has a moisture content of from 0 to 10%, especially 0.5 to 8%, e.g. 1 to 5%, most preferably 2 to 4% by weight, based on the total weight of the composition.

The powder of our invention may be compacted into tablets using conventional tableting technology. Particles of water soluble alkaline material such as carbonate may be incorporated into such tablets to promote the disintegration thereof by effervescent action.

A particularly preferred form of the solid THP-containing composition comprises a water soluble bag made from a water soluble film forming polymer such as polyvinylalcohol (PVA) containing the solid, particulate, granular or pelletised THP. Such bags may contain measured unit doses making controlled dosing simpler, protect the THP against atmospheric deterioration, and prevent contact between the user and the product.

Especially preferred are dual bags in which a sealed water soluble bag of an auxiliary treatment agent is inserted into the bag of solid THP before sealing the latter. Alternatively the bag of THP may be inserted into the bag of auxiliary treatment agent. This permits one-pack dosing of THP with auxiliary treatment agents which are chemically incompatible with THP.

For example, soluble bags containing alkalis such as sodium, ammonium or potassium carbonate or bicarbonate can be incorporated into the bagged formulation (or vice versa) in order to increase the rate of dissolution of the adipic acid. Synergists, surfactants, biopenetrants, corrosion inhibitors, scale inhibitors, ammonium salt to aid dissolution of ferrous sulphide deposits, sequestrants, deflocculants, flocculants, foam inhibitors,

antioxidants and other water treatment chemicals, many of which cannot conveniently be stored in aqueous solution with THP because of adverse reactions, can all be combined with solid THP, e.g. by using multiple bags in convenient, single dose bags or sachets.

When THP is intended for use in the leather industry, the multiple bag technique may be used to combine solid THP with a variety of tanning chemicals such as syntans and vegetable or mineral tanning agents.

✓ Examples of tanning agents which may be combined with THP in this way include copolymers of formaldehyde with urea or aryl groups such as phenol, resorcinol or any benzene or naphthalene group which has been substituted with one or more hydroxyl, amino, sulphonate, sulphone and/or sulphonamide groups, and polymers and copolymers of unsaturated carboxylic acids such as acrylic, methacrylic, maleic, fumaric, aconitic, itaconic, citraconic, crotonic, isocrotonic, mesaconic, cinammic, angelic and/or tiglic acids optionally including other vinylic monomers such as styrene.

✓ Less preferably, mineral tanning agents such as chrometan, alum, or zirconium or vegetable tannages such as mimosa may be included.

Products of the invention may optionally contain fragrances in amounts sufficient to mask characteristic odours.

THP containing powder, bags and tablets according to the invention may be used in place of liquid THP in any of the known aqueous applications of the latter. They are especially useful in controlling bacterial growth in oilfield drilling muds, in pharmaceutical and veterinary applications and for the treatment of gardens and fishponds to control algae or moss.

Example

A 75% wt./wt. solution of THPS in water containing a small amount of a fragrance to mask the characteristic odour of the solution was sprayed as a fine mist onto an air fluidised bed of adipic acid powder at 40°C.

The product was a free flowing powder which contained 17% by weight THPS and 3.2% moisture (both by weight, based on the total weight of the powder). Samples were stored in bottles at ambient temperature, 40°C, -5°C 0 to 5°C and samples in watch glasses were exposed to the atmosphere in the laboratory.

After seven weeks no change was observed in any of the samples and there was no evidence of significant moisture gain in the exposed samples. A slight caking of the latter was easily broken up by shaking. The stability of the samples was confirmed by spectroscopic analysis.

Example 2

Solid THP – 13% w/w THPS on adipic acid was packed into PVA bags, 300g per pack for single bags, and 300g solid THPS + 150g sodium bicarbonate for dual bags. The bicarbonate bag was produced first, and sealed prior to being placed into the solid THPS bag.

An industrial cooling tower having a system volume – 0.4m³ was treated. A blank titration was performed on the cooling water prior to addition, then one bag was added to the sump. THPS levels were monitored with time using a field test kit. A second experiment was performed on a tower, system volume 0.28m³, where both types of pack were dosed, and the sump monitored for signs of undissolved acid.

RESULTS**0.4m³ Tower:**

<u>Time / Minutes</u>	<u>THPS Conc. /ppm</u>	
	<u>Dual Bag</u>	<u>Single Bag</u>
20	61.2	24.5
40	91.8	24.5
60	89.8	19.4
80	81.6	19.4
120	85.7	19.4
150	76.5	19.4
180	78.2	19.6

N.B. complete dissolution would give 97.5 ppm.

0.28m³ Tower:

Undissolved adipic acid could be seen in the sump 24 hours after dosing the single bag pack, whereas the dual bag product had completely dissolved in this time.

CLAIMS

1. A composition comprising a particulate or porous THP-compatible, solid, acid substrate having coated thereon or absorbed therein THP.
2. A composition according to claim 1 wherein said substrate has a melting point greater than 70°C.
3. A composition according to either of claims 1 and 2 wherein said substrate is an organic acid.
4. A composition according to claim 3 wherein said acid is a di-, poly-, unsaturated, aromatic or hydroxy- carboxylic acid.
5. A composition according to claim 4 wherein said acid is adipic acid.
6. A composition according to any foregoing claim wherein said acid has a particle size of from 10 to 500 microns.
7. A composition according to any foregoing claim wherein the proportion of THP is from 10 to 40% by weight based on the total weight of the particle.
8. A composition according to any foregoing claim wherein the moisture content is from 0.5 to 8% by weight based on the total weight of the particle.
9. A tablet, granule, or pellet formed by compacting a composition according to any foregoing claim.

10. A method of preparing a composition according to any foregoing claim which comprises coating a solid, particulate, THP-compatible acid with an aqueous solution of THP at a temperature between 30 and 60°C.
11. A method according to claim 10 wherein said solution contains more than 60% by weight of said THP.
12. A water soluble sachet or bag formed from a water soluble film forming polymer containing a particulate solid according to any of claims 1 to 9.
13. A sachet or bag according to claim 12 containing at least one other water soluble sachet or bag, a first composition according to any of claims 1 to 9 and at least one other composition which is incompatible with said first composition, said first composition and said at least one other composition being separated by including one of said compositions in said other sachet or bag.
14. A water soluble sachet or bag according to claim 13 wherein said at least one other composition comprises an alkali, a water treatment agent and/or a tanning agent.
15. A sachet or bag according to any of claims 12 to 14 wherein the water soluble film forming polymer is polyvinyl alcohol.

INTERNATIONAL SEARCH REPORT

Interr. .nal Application No

PCT/EP 98/06290

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A01N57/34 C09K21/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N C09K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE WPI Section Ch, Week 9602 Derwent Publications Ltd., London, GB; Class A60, AN 96-017334 XP002092999 & JP 07 292152 A (FUJIMASU J) , 7 November 1995 see abstract</p>	

☐ Further documents are listed in the continuation of box C.

☐ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

11 February 1999

Date of mailing of the international search report

19/02/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Decorte, D